

**GOVERNMENT OF TELANGANA
ABSTRACT**

Public Service – I&CAD Dept. – Allegations of irregularities in payments to the contractors in Warangal Dist. - Disciplinary action initiated against Sri A. Ramachandar Rao, SE(Retd.) and (3) others- Inquiry under rule 20(2) of Andhra Pradesh Civil Services (CC&A) Rules, 1991 – Appointment of Sri Ch. Purushotham Raju, I/C Superintending Engineer, AMRP Circle No.1, Nalgonda as Inquiry Officer in place of Sri B. Hari Ram, I/C Chief Engineer, Dr. B.R.Ambedkar Pranahitha Chevelia Sujala Sravanthi, Hyderabad - Orders - Issued.

IRRIGATION & C.A.D. (Vig.II-A.1) DEPARTMENT

G.O.RT.No. 709

Dated: 21/09/2015.

1. G.O.Rt.No. 351,I&CAD(Vig.II-A1) Dept., dt. 23-05-2015.
2. From Sri R. Madhusudhana Rao, Commissioner, Godavari Basin, I&CAD Dept., Hyderabad and Inquiry Officer Lr.No. COMM/GB/ OT1/TO/ENQ/2015/366, dt. 19-06-2015.
3. G.O.Rt.No. 562,I&CAD(Vig.II-A1) Dept., dt. 25-07-2015.
4. From Sri B. Hari Ram, I/C Chief Engineer, Dr. B.R.Ambedkar Pranahitha Chevelia Sujala Sravanthi, Hyd. Lr.No.CE/ Dr.B.R.A.PCSS/DEE-1/AEE-7/2015/652,dt. 05-08-2015.

* * *

ORDER:

Whereas, an inquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following engineers:-

1. Sri A. Ramchandar Rao, SE (Retd.)
2. Sri T. Chitti Babu, I/C EE
3. Sri K. Satyanarayana, Dy.EE.,
4. Sri B. Govind Naik, I/C EE,

2. Where as Sri B. Hari Ram, I/C Chief Engineer, Dr. B.R.Ambedkar Pranahitha Chevelia Sujala Sravanthi, Hyd. was appointed as Inquiry Officer to inquire into the charges framed against the above said engineers vide reference 3rd read above.

3. And whereas Sri B. Hari Ram, I/C Chief Engineer, Dr. B.R.Ambedkar Pranahitha Chevelia Sujala Sravanthi, Hyd. in the reference 4th read above, has informed that he has having heavy work load and he has to attend CWC and Ministry of Tribal Affairs, Ministry of Environmental & Forest etc for getting approval and he has requested to modify the orders, appointing another officers as Inquiring Authority. Therefore, it becomes necessary to appoint another officer as Inquiring Officer to inquire into the charges framed against the above said engineers.

4. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of the said rule, the disciplinary authority hereby appoints Sri Ch. Purushotham Raju, I/C Superintending Engineer, AMRP Circle No.1, Nalgonda as Inquiry Officer in place of Sri B. Hari Ram, I/C Chief Engineer, Dr. B.R.Ambedkar Pranahitha Chevelia Sujala Sravanthi,

[P.T.O.]

::2::

Hyd. & Inquiry Officer to inquire into the charges framed against the above engineers noted at para (1) above.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

SHAILENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri Ch. Purushotham Raju, I/C Superintending Engineer, AMRP Circle No.1, Nalgonda and Inquiry Officer **through** the Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

Sri B. Hari Ram, I/C Chief Engineer, Dr. B.R.Ambedkar Pranahitha Chevelia Sujala Sravanthi, Hyd. and Inquiry Officer **through** the Engineer-in-Chief (AW), Irrigation & CAD Department, **Hyderabad with a requested to handed over the connected record to the Inquiry Officer under intimation to Govt.**

Sri K. Bangaraiah, I/C Superintending Engineer, QC & I Circle, SPSR, Hanamakonda and Presenting Officer **through** the Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad

The individuals **through** the Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.
SF/SC.

//FORWARDED : BY ORDER//

SECTION OFFICER